

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.09.2022

Version number 3 (replaces version 2)

Revision: 23.09.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name **Scheibenputz (DIY)**

Safety data sheet no.: 49PB20613

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

Saint Gobain Weber GmbH

Schanzenstr. 84

D-40549 Düsseldorf

+49(0)211/91369-0

email: Produktsicherheit@sg-weber.de

### 1.4 Emergency telephone number:

Emergency medical information in case of poisoning:

Poison Information Centre Mainz - Tel.: +49 (0) 6131 19240 (advice in German or English)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS05 GHS07

**Signal word** Danger**Hazard-determining components of labelling:**

calcium dihydroxide

cement, portland, white

(Contd. on page 2)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.09.2022

Version number 3 (replaces version 2)

Revision: 23.09.2022

**Trade name Scheibenputz (DIY)**

(Contd. of page 1)

**Hazard statements**

H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H335 May cause respiratory irritation.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P103 Read carefully and follow all instructions.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P362 Take off contaminated clothing.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**
**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.  
**vPvB:** Does not contain vPvB substances.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures**
**Description:** Mixture of substances listed below with non hazardous additions.

**Dangerous components:**

CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	75-100%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx	calcium dihydroxide ☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; STOT SE 3, H335	10-20%
CAS: 65997-15-1 EINECS: 266-043-4	cement, portland, white ☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; STOT SE 3, H335 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 % Eye Dam. 1; H318: C ≥ 1 %	10-20%

**SVHC** Void

**Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**
**General information** Immediately remove any clothing soiled by the product.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 3)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.09.2022

Version number 3 (replaces version 2)

Revision: 23.09.2022

**Trade name Scheibenputz (DIY)**

(Contd. of page 2)

**After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing**

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media****Suitable extinguishing agents**

Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**5.3 Advice for firefighters**

**Protective equipment:** Use methods suitable to surrounding conditions.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

Ensure adequate ventilation.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.

**6.3 Methods and material for containment and cleaning up:** Pick up mechanically.

**6.4 Reference to other sections** See Section 13 for disposal information.

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

Prevent formation of dust.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities****Storage****Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Do not store together with acids.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

**7.3 Specific end use(s)** No further relevant information available.

EUG

(Contd. on page 4)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.09.2022

Version number 3 (replaces version 2)

Revision: 23.09.2022

Trade name Scheibenputz (DIY)

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs					
<b>CAS: 1305-62-0 calcium dihydroxide</b>					
Inhalative	Derived No Effect Level				
	4 mg/m <sup>3</sup> (worker local short term value)				
	1 mg/m <sup>3</sup> (worker local long term value)				
	1 mg/m <sup>3</sup> (consumer local long term value)				
	4 mg/m <sup>3</sup> (consumer local short term value)				
PNECs					
<b>CAS: 1305-62-0 calcium dihydroxide</b>					
Predicted No-Effect Concentration	9.32 mg/l (sea water rating factor)				
	0.49 mg/l (fresh water rating factor)				
CAS No.	Designation of material	%	Type	Value	Unit
<b>CAS: 1317-65-3 calcium carbonate</b>					
	TWA (Italy)			Long-term value: 10 mg/m <sup>3</sup>	(e)
<b>CAS: 1305-62-0 calcium dihydroxide</b>					
	IOELV (European Union)			Short-term value: 4 mg/m <sup>3</sup>	Long-term value: 1 mg/m <sup>3</sup>
				Respirable fraction	
	AGW (Germany)			Long-term value: 1E mg/m <sup>3</sup>	2(I);Y, EU, DFG
	GV (Denmark)			Long-term value: 5 1* mg/m <sup>3</sup>	E; *respirabel fraktion
	LEP (Spain)			Long-term value: 4 mg/m <sup>3</sup> , 1 ppm	fracción resp., VLI, d
	TWA (Italy)			Long-term value: 5 mg/m <sup>3</sup>	
	VL (Italy)			Short-term value: 4* mg/m <sup>3</sup>	Long-term value: 1* mg/m <sup>3</sup>
				*frazione toracica	
	VLE (Portugal)			Long-term value: 5 mg/m <sup>3</sup>	Irritação ocular, do TRS, cutânea
	OEL (Sweden)			Short-term value: 4 mg/m <sup>3</sup>	Long-term value: 1 mg/m <sup>3</sup>
	HTP (Finland)			Short-term value: 4 mg/m <sup>3</sup>	Long-term value: 1 mg/m <sup>3</sup>
<b>CAS: 65997-15-1 cement, portland, white</b>					
	AGW (Germany)			Long-term value: 5 E mg/m <sup>3</sup>	DFG
	LEP (Spain)			Long-term value: 4 mg/m <sup>3</sup>	fracción respirable: e, d

(Contd. on page 5)

-EUG-

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.09.2022

Version number 3 (replaces version 2)

Revision: 23.09.2022

**Trade name Scheibenputz (DIY)**

(Contd. of page 4)

TWA (Italy)	Long-term value: 1 mg/m <sup>3</sup> (e, j), A4
VLE (Portugal)	Long-term value: 1 mg/m <sup>3</sup> Fração resp.;A4,função pulm.,sintomas resp.,asma
HTP (Finland)	Long-term value: 5* 1** mg/m <sup>3</sup> *hengittyvä pöly, **alveolijae

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls**

**Appropriate engineering controls** No further data; see item 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter P2.

**Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Recommended thickness of the material:  $\geq 0.15$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

Breakthrough time: > 480 min

Value for the permeation: Level  $\leq 6$

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed goggles

**Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

**Physical state**

Solid.

(Contd. on page 6)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.09.2022

Version number 3 (replaces version 2)

Revision: 23.09.2022

**Trade name Scheibenputz (DIY)**

(Contd. of page 5)

<b>Colour:</b>	According to product specification
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	Undetermined.
<b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
<b>Flammability</b>	Product is not flammable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	Not applicable
<b>Ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>pH at 20 °C</b>	> 12.0 (DIN 19261) In water
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not applicable.
<b>dynamic:</b>	Not applicable.
<b>Solubility</b>	
<b>Water at 20 °C:</b>	1.5 g/l
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not applicable.
<b>Density and/or relative density</b>	
<b>Density:</b>	Not applicable.
<b>Bulk density:</b>	Not determined
<b>Vapour density</b>	Not applicable.
<b>Particle characteristics</b>	See item 3.

<b>9.2 Other information</b>	None.
<b>Appearance:</b>	
<b>Form:</b>	Solid.
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Auto-ignition temperature:</b>	Product is not selfigniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Minimum ignition energy</b>	
<b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>EU-VOC (%)</b>	0.0000 %
<b>EU-VOC (g/L)</b>	0.0000 g/l
<b>Solids content:</b>	100.0 %
<b>Change in condition</b>	
<b>Softening point/range</b>	
<b>Oxidising properties</b>	Not determined.
<b>Evaporation rate</b>	Not applicable.

<b>Information with regard to physical hazard classes</b>	
<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void

(Contd. on page 7)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.09.2022

Version number 3 (replaces version 2)

Revision: 23.09.2022

**Trade name Scheibenputz (DIY)**

(Contd. of page 6)

<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions**

Reacts with light alloys in the presence of moisture to form hydrogen

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 1317-65-3 calcium carbonate</b>			
Oral	LD50	>5,000 mg/kg	(Rat)
<b>CAS: 1305-62-0 calcium dihydroxide</b>			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,500 mg/kg	(Rabbit)
<b>CAS: 65997-15-1 cement, portland, white</b>			
Dermal	LD50	>2,000 mg/kg	(Rabbit)

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

(Contd. on page 8)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.09.2022

Version number 3 (replaces version 2)

Revision: 23.09.2022

**Trade name Scheibenputz (DIY)**

(Contd. of page 7)

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

**12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

Type of test	Effective concentration	Method	Assessment
<b>CAS: 1317-65-3 calcium carbonate</b>			
LC50/96h	>10,000 mg/l	(Oncorhynchus mykiss (Rainbow trout))	
EC50/48h	>1,000 mg/l	(Daphnia magna)	
EC50/72h	>200 mg/l	(Algae)	
<b>CAS: 1305-62-0 calcium dihydroxide</b>			
LC50/96h	158 mg/l	(Daphnia magna)	
	>50.6 mg/l	(Fish)	
EC50/48h	49.1 mg/l	(Daphnia magna)	
EC50/72h	184.57 mg/l	(Algae)	
NOEC (14d)	32 mg/l	(Daphnia magna)	

**12.2 Persistence and degradability** No further relevant information available.

**Other information:** The product is not easily biodegradable.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects** No further relevant information available.

**Remark:**

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

The product contains substances which causes severe clouding in water

**Behaviour in sewage processing plants:**

Type of test	Effective concentration	Method	Assessment
<b>CAS: 1305-62-0 calcium dihydroxide</b>			
EC 50 (3h)	300.4 mg/l	(Activated sludge)	

**Remark:** The product causes a significant pH change. Neutralise before introduction.

(Contd. on page 9)



**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.09.2022

Version number 3 (replaces version 2)

Revision: 23.09.2022

**Trade name Scheibenputz (DIY)**

(Contd. of page 8)

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

**European waste catalogue**

10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 14	waste concrete and concrete sludge
HP4	Irritant - skin irritation and eye damage

**Uncleaned packaging:**

**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

**Recommended cleaning agent:**

Water, if necessary together with cleansing agents. Thoroughly shake out sacks.

**SECTION 14: Transport information**

<b>14.1 UN number or ID number ADR, ADN, IMDG, IATA</b>	Void
<b>14.2 UN proper shipping name ADR, ADN, IMDG, IATA</b>	Void
<b>14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class</b>	Void
<b>14.4 Packing group ADR, IMDG, IATA</b>	Void
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
<b>UN "Model Regulation":</b>	Void

EUG

(Contd. on page 10)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.09.2022

Version number 3 (replaces version 2)

Revision: 23.09.2022

Trade name Scheibenputz (DIY)

(Contd. of page 9)

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

The product contains white cement with a content of soluble chromium (VI) below 0.0002% (2 ppm), it doesn't need a reducing agent

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

#### DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### REGULATION (EU) 2019/1148

#### Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

#### Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

**Department issuing SDS:** Product safety department.**Contact:** Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210**Version number of previous version:** 2

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

(Contd. on page 11)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.09.2022

Version number 3 (replaces version 2)

Revision: 23.09.2022

### Trade name Scheibenputz (DIY)

(Contd. of page 10)

ICAO: International Civil Aviation Organisation  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern (REACH regulation)  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG