

Printing date 04.03.2024 Version number 4 Revision: 04.03.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Scheibenputz innen / außen (DIY)

Safety data sheet no.: 49PB21388

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Construction chemicals

Coating

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint Gobain Weber GmbH

Schanzenstr. 84 D-40549 Düsseldorf +49(0)211/91369-0

e-mail: Produktsicherheit@sg-weber.de **1.4 Emergency telephone number:** 

Emergency medical information in case of poisoning:

Poison Information Centre Mainz - Tel.: +49 (0) 6131 19240 (advice in German or English)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

## Additional information:

Information according to Biocidal Products Regulation (EU) 528/2012: contains

Active substance for preservation during storage: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) (CAS no.: 55965-84-9)

EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

**Determination of endocrine-disrupting properties** Not applicable.

## SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**Description:** Synthetic resin-plaster based on plastic dispersion, minerals and additives.

(Contd. on page 2)



Printing date 04.03.2024 Version number 4 Revision: 04.03.2024

Trade name: Scheibenputz innen / außen (DIY)

		(Contd. of page
Dangerous components:		
EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	50-75%
	titanium dioxide  Carc. 2, H351	≥0.1-<1%
EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.05%
EC number: 611-341-5 Index number: 613-167-00-5	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	≥0.00025-<0.00159

**SVHC** Void

Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**General information** Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Drink plenty of water and provide fresh air. Call for a doctor immediately.

#### Information for doctor None

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Printing date 04.03.2024 Version number 4 Revision: 04.03.2024

Trade name: Scheibenputz innen / außen (DIY)

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.

- **5.2** Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

**Protective equipment:** Use methods suitable to surrounding conditions.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**6.4 Reference to other sections** See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

No special precautions are necessary if used correctly.

Store in cool, dry place in tightly closed receptacles.

Information about fire - and explosion protection: No special measures required.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage

#### Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

#### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from freezing.

Recommended storage temperature: 5-30°C.

7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)



Printing date 04.03.2024 Version number 4 Revision: 04.03.2024

Trade name: Scheibenputz innen / außen (DIY)

DNE! -		(Contd. of pa			
DNELs	0.07.744				
	3-67-7 titanium d				
Inhalative	Derived No Effect	Level 1.25 mg/m³ (worker local long term value)			
		0.21 mg/m³ (consumer local long term value)			
	•	thiazol-3(2H)-one			
Dermal	Derived No Effect	Level 0.966 mg/kgxday (worker systemic long term value)			
	5 ·	0.345 mg/kgxday (consumer systemic long term value)			
Inhalative	Derived No Effect	Level 6.81 mg/m³ (worker systemic long term value)			
212		1.2 mg/m³ (consumer systemic long term value)			
CAS: 5596		nass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500 hyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)			
Oral	Derived No Effect	Level 0.09 mg/kgxday (consumer systemic long term value)			
Inhalative	Derived No Effect	Level 0.02 mg/m³ (worker local long term value)			
		0.02 mg/m³ (consumer local long term value)			
PNECs		'			
CAS: 2634	-33-5 1,2-benziso	thiazol-3(2H)-one			
Predicted	No-Effect Concentr	ration 3 mg/kgxdwt (earth rating factor)			
Predicted I	No-Effect Concentr	ration 0.000403 mg/l (sea water rating factor)			
		0.00403 mg/l (fresh water rating factor)			
CAS: 5596		nass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500 hyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)			
Predicted		ration 0.01 mg/kgxdwt (earth rating factor)			
Predicted I	No-Effect Concentr	ration 0.00339 mg/l (sea water rating factor)			
		0.00339 mg/l (fresh water rating factor)			
CAS N	o. / Designation o	of material / % / Type / Value / Unit			
	-65-3 calcium car	21			
TWA (Italy	Long-term (e)	value: 10 mg/m³			
CAS: 1346	3-67-7 titanium d	ioxide			
AGW (Ger		value: 1.25* 10** mg/m³ lengängig**einatembar; AGS, DFG, Y			
GV (Denm	1 ' '	value: 12 mg/m <sup>3</sup>			
Long-term value:					
LEP (Spair		K, som Ti Long-term value: 10 mg/m³			
TWA (Italy		Long-term value: 10 mg/m³			
. ()	A4				
VLE (Portu		Long-term value: 10 mg/m³			
	1	A4; Îrritação do TRI			
OEL (Swe		value: 5 mg/m³			
OLL (SWE	totaldamm				
`		thiazol-3(2H)-one			



Printing date 04.03.2024 Version number 4 Revision: 04.03.2024

Trade name: Scheibenputz innen / außen (DIY)

(Contd. of page 4)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7]

and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

MAK (Germany) Long-term value: 0.2E mg/m³

vgl.Abschn.Xc

#### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

#### Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin. Do not eat or drink while working.

Respiratory protection: Not necessary if room is well-ventilated.

#### **Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### **Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq$  (Butyl) 0.7 mm; (NBR) 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

Breakthrough time: > 480 min Value for the permeation: Level < 6

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to

be observed.

**Eye/face protection** Safety glasses. **Body protection:** Protective work clothing.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**General Information** 

Colour: According to product specification

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: 0 °C (DIN ISO 3016)

Boiling point or initial boiling point and boiling

range 100 °C (DIN)

(Contd. on page 6)



Printing date 04.03.2024 Version number 4 Revision: 04.03.2024

Trade name: Scheibenputz innen / außen (DIY)

(Contd. of page 5)

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable
Auto-ignition temperature: Not determined.
Decomposition temperature: Not determined.
pH at 20 °C 9 (DIN 19261)

Viscosity:

**Kinematic viscosity dynamic:**Not determined.
Not determined.

Solubility

Water: Fully miscible
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure at 20 °C: 23 hPa (DIN 51640)

Density and/or relative density

**Density at 20 °C:** 1.85 g/cm³ (DIN 51757)

Bulk density: Not applicable.
Vapour density Not determined.

**9.2 Other information** None.

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

**Ignition temperature:** Product is not self-igniting.

**Explosive properties:** Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test:

EU-VOC (%)

EU-VOC (g/L)

Not determined
0.0200 %
0.3700 g/l

Change in condition Softening point/range

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes **Explosives** Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in contact with water

**Oxidising liquids** 

ontact with water Void Void



Printing date 04.03.2024 Version number 4 Revision: 04.03.2024

Trade name: Scheibenputz innen / außen (DIY)

(Contd. of page 6)

Void
Void
Void
Void

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compone	nts	I	Type	1	Value	1	Species
CAS: 1317	7-65-3 cal	cium car	bonate				
Oral	LD50	>5,000 r	ng/kg (F	Rat)			
CAS: 1340	63-67-7 tit	anium d	ioxide				
Oral	LD50	>5,000 r	ng/kg (F	Rat)			
CAS: 2634	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one						
Oral	LD50	>490 mg	g/kg (Ra	t)			
Dermal	LD50	>2,000 mg/kg (Rat)					
CAS: 559							thyl-2H-isothiazol-3-one [EC no. 247-500-7]
	an	d 2-met	hyl-2H-i	soth	iazol-3- c	ne	e [EC no. 220-239-6] (3:1)
Oral	LD50	457 mg/	kg (Rat)				
Dermal	LD50	660 mg/	kg (Rab	bit)			
Inhalative	LC50/4 h	2.36 mg	/I (Rat)				

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Serious eve damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction to already sensitised individuals (supplemental labelling EUH208 in Europe)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)



Printing date 04.03.2024 Version number 4 Revision: 04.03.2024

Trade name: Scheibenputz innen / außen (DIY)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test / Effective concentration / Method / Assessment  CAS: 1317-65-3 calcium carbonate  LC50/96h
LC50/96h >10,000 mg/l (Oncorhynchus mykiss (Rainbow trout)) EC50/48h >1,000 mg/l (Daphnia magna)
EC50/48h >1,000 mg/l (Daphnia magna)
EC50/72h >200 mg/l (Algae)
CAS: 13463-67-7 titanium dioxide
IC50/72h 1 mg/l (Fish)
LC50/48h >100 mg/l (aquatic invertebrates)
LC50/96h >100 mg/l (Fish)
EC50/48h >100 mg/l (aquatic invertebrates)
EC50/72h >100 mg/l (Algae)
NOEC (72h) ≥10 mg/l (aquatic algae and cyanobacteria)
NOEC (96h) ≥1 mg/l (aquatic plants other than algae)
NOEC (21d) ≥100 mg/l (aquatic invertebrates)
NOEC (28d) ≥100 mg/l (aquatic invertebrates)
≥0.07 mg/l (Fish)
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one
LC50/96h 2.2 mg/l (Fish)
EC50/16h 0.4 mg/l (Pseudomonas putida (Bacteria))
EC50/48h 2.9 mg/l (aquatic invertebrates)
EC50/72h 0.11 mg/l (aquatic algae and cyanobacteria)
0.067 mg/l (Pseudomonas putida (Bacteria))
NOEC (72h) 0.0403 mg/l (aquatic algae and cyanobacteria)
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-50
and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
LC50/48h 0.18 mg/l (Daphnia magna)
LC50/96h 0.282 mg/l (Daphnia magna)
0.19-0.3 mg/l (Fish)
EC50/24h   0.109 mg/l (Daphnia magna)
0.0107 mg/l (aquatic algae and cyanobacteria)
EC50/48h 0.16 mg/l (Daphnia magna)
0.0181-0.0371 mg/l (aquatic algae and cyanobacteria)
EC50/96h 0.0357 mg/l (aquatic algae and cyanobacteria)
EC50/72h 0.0063-0.0273 mg/l (aquatic algae and cyanobacteria)
(Contd. on p

EUG



Printing date 04.03.2024 Version number 4 Revision: 04.03.2024

Trade name: Scheibenputz innen / außen (DIY)

(Contd. of page 8)

NOEC (14d) 0.035 mg/l (Daphnia magna)

NOEC (21d) 0.011-1.05 mg/l (Daphnia magna)

NOEC (28d) 0.098 mg/l (Fish)

12.2 Persistence and degradability No further relevant information available.

Other information: The product is not easily biodegradable.

12.3 Bioaccumulative potential

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EBAB 0.7 log Pow

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EBAB 0.75 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Remark: The product contains substances which causes severe clouding in water

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 13463-67-7 titanium dioxide

EC 50 (3h) 1,000 mg/l (microorganisms)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC 50 (3h) 10.3 mg/l (microorganisms)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EC 50 (3h) 4.5 mg/l (microorganisms)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Recommendation

After prior treatment product has to be landfilled adhering to the regulations pertaining to the disposal of particularly

hazardous waste.

#### European waste catalogue

08 01 20 aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

#### **Uncleaned packaging:**

#### Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 10)



Printing date 04.03.2024 Version number 4 Revision: 04.03.2024

Trade name: Scheibenputz innen / außen (DIY)

(Contd. of page 9)

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport informat	tion
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Directive 2004/42/EC (VOC), cf. section 9

Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

(Contd. on page 11)



Printing date 04.03.2024 Version number 4 Revision: 04.03.2024

Trade name: Scheibenputz innen / außen (DIY)

(Contd. of page 10)

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

**Department issuing SDS:** Product safety department.

Contact: Produktsicherheit@sg-weber.de

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic



Version number 4 Revision: 04.03.2024 Printing date 04.03.2024

Trade name: Scheibenputz innen / außen (DIY)

(Contd. of page 11)

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A
Carc. 2: Carcinogenicity – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

#### \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.