according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 2 (replaces version 1)

Revision: 07.03.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name <u>Universal Spachtel "Easyfill" (DIY)</u>

Safety data sheet no.: 49PR20975

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. **Application of the substance / the mixture** Construction chemicals

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
Saint Gobain Weber GmbH
Schanzenstr. 84
D-40549 Düsseldorf
+49(0)211/91369-0
email: Produktsicherheit@sg-weber.de
1.4 Emergency telephone number: Telefon: +49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void

Hazard statements Void

Additional information:

Information according to regulation (EU) 528/2012: contains

Active substance for preservation during storage: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) (CAS no.: 55965-84-9)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Plastic dispersion

(Contd. on page 2)

- EUG



according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 07.03.2022

Trade name Universal Spachtel "Easyfill" (DIY)

Dangerous components:	(Cc	ontd. of page
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide substance with a Community workplace exposure limit	1-2%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≤0.0015 ⁴

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C). After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 07.03.2022

Trade name Universal Spachtel "Easyfill" (DIY)

(Contd. of page 2) 5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from freezing.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS No. Designation of material % Type Value Unit				
CAS: 13463-67-7 titanium dioxide				
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y			
GV (Denmark)	Long-term value: 6 mg/m³ K, som Ti			
LEP (Spain)	Long-term value: 10 mg/m ³			
TWA (Italy)	Long-term value: 10 mg/m³ A4			
	(Contd. on page 4)			



Printing date 07.03.2022

EUG

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 2 (replaces version 1)

Revision: 07.03.2022

Trade name Universal Spachtel "Easyfill" (DIY)

	(Contd. of page
VLE (Portugal)	Long-term value: 10 mg/m³ A4; Irritação do TRI
OEL (Sweden)	Long-term value: 5 mg/m³ totaldamm
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one
MAK (Germany)	vgl.Abschn.IIb und Xc
	9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7 and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
MAK (Germany)	Long-term value: 0.2E mg/m³ vgl.Abschn.Xc
Additional infor The applicable T safety data sheet	RGS 900 (MAK list) was used as the basis for the preparation and/or revision of the
8.2 Exposure co	
	gineering controls No further data; see item 7.
	ection measures, such as personal protective equipment
	ive and hygienic measures: utionary measures are to be adhered to when handling chemicals.
	tection: Not required.
Hand protection	
Protective gloves	
The glove materi	ial has to be impermeable and resistant to the product/ the substance/ the mixture. glove material on consideration of the penetration times, rates of diffusion and t
Material of glov	es
Nitrile rubber, NE	BR
	hickness of the material: ≥ 0.4 mm
quality and vari substances, the	the suitable gloves does not only depend on the material, but also on further marks ies from manufacturer to manufacturer. As the product is a mixture of seve resistance of the glove material can not be calculated in advance and has therefore to the application.
	e of glove material
Breakthrough tim	ne: > 480 min
	meation: Level ≤ 6
	trough time has to be found out by the manufacturer of the protective gloves and has
be observed.	tion Constant recommended during refilling
Body protection	tion Goggles recommended during refilling n: Protective work clothing.
	Physical and chemical properties
	on basic physical and chemical properties
General Informa	ation
Physical state	Fluid

Physical state Fluid Different according to colouring Colour: Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Undetermined.

> (Contd. on page 5) - EUG

weber



Version number 2 (replaces version 1)

Revision: 07.03.2022

Trade name Universal Spachtel "Easyfill" (DIY)

	(Contd. of page
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Ignition temperature:	Not applicable
Decomposition temperature:	Not determined.
pH .	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log val	
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.75-1.81 g/cm³
Relative density	Not determined.
Bulk density:	Not applicable.
Vapour density	Not determined.
Auto-ignition temperature: Explosive properties:	Product is not selfigniting. Product does not present an explosion hazard.
and environment, and on safety. Auto-ignition temperature: Explosive properties:	
Minimum ignition energy Solvent separation test:	Not applicable.
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
	Not determined. Not determined.
Oxidising properties Evaporation rate Information with regard to physical haza classes	Not determined. ard
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives	Not determined. ard Void
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases	Not determined. ard Void Void
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols	Not determined. ard Void Void Void Void
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases	Not determined. ard Void Void Void Void Void
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Not determined. ard Void Void Void Void Void Void
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Not determined. ard Void Void Void Void Void Void Void Voi
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Not determined. ard Void Void Void Void Void Void Void Voi
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Not determined. ard Void Void Void Void Void Void Void Voi
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Not determined. ard Void Vo
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Not determined. ard Void Vo
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Not determined. ard Void Vo
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Not determined. ard Void Vo
Oxidising properties Evaporation rate Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Not determined. ard Void Vo



according to 1907/2006/EC, Article 31

Printing date 07.03.2022

Version number 2 (replaces version 1)

Revision: 07.03.2022

Trade name Universal Spachtel "Easyfill" (DIY)

		(Contd. of page 5)
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation

Sensitising effect by skin contact is possible by prolonged exposure.

May cause an allergic skin reaction to already sensitised individuals (supplemental labelling EUH208 in Europe)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

(Contd. on page 7) - FUG



according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 07.03.2022

Trade name Universal Spachtel "Easyfill" (DIY)

(Contd. of page 6)

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Not known to be hazardous to water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

After prior treatment product has to be landfilled adhering to the regulations pertaining to the disposal of particularly hazardous waste. European waste catalogue Possible waste code. The concrete waste code depends on the source of the waste. 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	i ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 07.03.2022

(Contd. of page 7)

Trade name Universal Spachtel "Easyfill" (DIY)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed. **REGULATION (EU) 2019/1148**

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Department issuing SDS: Product safety department.

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

Version number of previous version: 1

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

EUG



FUG

Safety Data Sheet

according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 07.03.2022

Trade name Universal Spachtel "Easyfill" (DIY)

(Contd. of page 8) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 * Data compared to the previous version altered. According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

