

Printing date 06.02.2023 Version number 2 Revision: 07.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Buntsteinputz / Mosaikputz (DIY)

Safety data sheet no.: 49PR21387

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Coating material

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint Gobain Weber GmbH

Schanzenstr. 84 D-40549 Düsseldorf +49(0)211/91369-0

email: Produktsicherheit@sg-weber.de

1.4 Emergency telephone number:

Emergency medical information in case of poisoning:

Poison Information Centre Mainz - Tel.: +49 (0) 6131 19240 (advice in German or English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

Information according to Biocidal Products Regulation (EU) 528/2012: contains

Active substance for preservation during storage: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) (CAS no.: 55965-84-9)

EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Synthetic resin-plaster based on plastic dispersion, minerals and additives.

(Contd. on page 2)



Printing date 06.02.2023 Version number 2 Revision: 07.09.2021

Trade name Buntsteinputz / Mosaikputz (DIY)

		(Contd. of pa
Dangerous components:		
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit:	<0.05%
CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5 Reg.nr.: 01-2120768921-45-xxxx		≥0.00025-<0.001
	(M=100); Aquatic Chronic 1, H410 (M=100); ↑ Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 %	
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 %	≥0.00025-<0.001
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Not relevant (liquid preparation without volatile substances).

After skin contact

Generally the product does not irritate the skin.

Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

(Contd. on page 3)



Printing date 06.02.2023 Version number 2 Revision: 07.09.2021

Trade name Buntsteinputz / Mosaikputz (DIY)

(Contd. of page 2)

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep receptacles tightly sealed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)



Printing date 06.02.2023 Version number 2 Revision: 07.09.2021

Trade name Buntsteinputz / Mosaikputz (DIY)

		(Contd. of page
DNELs		
CAS: 263	4-33-5 1,2-benzisothiaz	` ,
Dermal	Derived No Effect Level	0.966 mg/kgxday (worker systemic long term value)
		0.345 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.81 mg/m³ (worker systemic long term value)
		1.2 mg/m³ (consumer systemic long term value)
CAS: 559		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-1-1-isothiazol-3- one [EC no. 220-239-6] (3:1)
Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.02 mg/m³ (worker local long term value)
		0.02 mg/m³ (consumer local long term value)
Predicted	No-Effect Concentration	0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor)
	and 2-methyl-2l	H-isothiazol-3- one [ÉC no. 220-239-6] (3:1)
		0.01 mg/kgxdwt (earth rating factor)
Predicted	No-Effect Concentration	0.00339 mg/l (sea water rating factor)
		0.00339 mg/l (fresh water rating factor)
CAS	lo. / Designation of mat	erial / % / Type / Value / Unit
CAS: 263	4-33-5 1,2-benzisothiaz	ol-3(2H)-one
MAK (Ger	many) vgl.Abschn.IIb un	d Xc
CAS: 559		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500- H-isothiazol-3- one [EC no. 220-239-6] (3:1)
MAK (Ger	many) Long-term value: vgl.Abschn.Xc	0.2E mg/m³

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Only during spraying without adequate removal by suction.

Filter P2.

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

(Contd. on page 5)



Printing date 06.02.2023 Version number 2 Revision: 07.09.2021

Trade name Buntsteinputz / Mosaikputz (DIY)

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Breakthrough time: > 480 min

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and ch	nemical properties
General Information	
Colour:	According to produc

Colour: According to product specification
Odour: Mild

Odour: Willia

Odour threshold: Not determined.

Melting point/freezing point: 0 °C Boiling point or initial boiling point and boiling

range Undetermined.

Lower and upper explosion limit

Lower:
Upper:
Not determined.
Plash point:
Not applicable
Ignition temperature:
Not determined.
Not determined.
Not determined.

pH at 20 °C 8-8.2

Viscosity:

Kinematic viscosity dynamic:Not determined.
Not determined.

Solubility

Water: Fully miscible

Partition coefficient n-octanol/water (log value) Not determined.

55965-84-9 reaction mass of 5-chloro-2- methyl-2H- 0,75 isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-

239-6] (3:1)

Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:

Bulk density:

Vapour density

1.7 g/cm³

Not applicable.

Not determined.

9.2 Other information None.

(Contd. on page 6)



Printing date 06.02.2023 Version number 2 Revision: 07.09.2021

Trade name Buntsteinputz / Mosaikputz (DIY)

(Contd. of page 5)

Appearance:

Form: Pasty

Important information on protection of health

and environment, and on safety.

Auto-ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test: Not applicable.

Change in condition Softening point/range

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability

Desensitised explosives

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

Void

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 06.02.2023 Version number 2 Revision: 07.09.2021

Trade name Buntsteinputz / Mosaikputz (DIY)

(Contd. of page 6)

LD/LC50 values relevant for classification:

Compone	nts	/ Type	1	Value	1	Species
CAS: 2634	4-33-5 1,2-	-benzisothiazol-	3(2H)-one		
Oral	LD50	>490 mg/kg (Ra	t)			
Dermal	LD50	>2,000 mg/kg (F	at)			
CAS: 265	30-20-1 oc	thilinone (ISO);2	2-oct	yl-2H-iso	thi	azol-3-one
Oral	LD50	125 mg/kg (ATE)			
Dermal	LD50	311 mg/kg (ATE)			
Inhalative	LC50/4 h	0.27 mg/l (ATE)				
CAS: 559	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7]					
	an			iazol-3- o	ne	[ÉC no. 220-239-6] (3:1)
Oral	LD50	457 mg/kg (Rat)				
Dermal	LD50	660 mg/kg (Rab	oit)			
Inhalative	LC50/4 h	2.36 mg/l (Rat)				

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of tes	Type of test / Effective concentration / Method / Assessment			
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one				
LC50/96h	LC50/96h 2.2 mg/l (Oncorhynchus mykiss (Rainbow trout))			
EC50/16h	EC50/16h 0.4 mg/l (Pseudomonas putida (Bacteria))			
EC50/48h	EC50/48h 2.9 mg/l (Daphnia magna)			
EC50/72h	n 0.11 mg/l (Algae)			
	0.067 mg/l (Pseudomonas putida (Bacteria))			
CAS: 26530	CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one			
LC50/48h	0.181 mg/l (Daphnia magna)			
LC50/96h	0.122 mg/l (Fish)			
EC50/48h	0.42 mg/l (Daphnia magna)			
EC50/96h	EC50/96h 0.15 mg/l (Algae)			
	(Contd. c	on page 8)		



Printing date 06.02.2023 Version number 2 Revision: 07.09.2021

Trade name Buntsteinputz / Mosaikputz (DIY)

(Contd. of page 7) CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.18 mg/l (Daphnia magna) LC50/48h LC50/96h 0.282 mg/l (Daphnia magna) 0.19-0.3 mg/l (Fish) EC50/24h 0.109 mg/l (Daphnia magna) 0.0107 mg/l (Algae) EC50/48h 0.16 mg/l (Daphnia magna) 0.0181-0.0371 mg/l (Algae) EC50/72h 0.0063-0.0273 mg/l (Algae) NOEC (14d) 0.035 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential			
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one			
EBAB	0.7 log Pow		
CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one			
EBAB	2.61 log Pow (Bioaccumulation)		
Bioaccumulation Factor (BCF) 19.21			

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

NOEC (21d) 0.011-1.05 mg/l (Daphnia magna)

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Remark: The product contains substances which causes severe clouding in water

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment		
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
EC 50 (3h) 10.3 mg/l (Activated sludge)		
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)		
EC 50 (3h) 4.5 mg/l (Activated sludge)		

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

After prior treatment product has to be landfilled adhering to the regulations pertaining to the disposal of particularly hazardous waste.

(Contd. on page 9)



Printing date 06.02.2023 Version number 2 Revision: 07.09.2021

Trade name Buntsteinputz / Mosaikputz (DIY)

(Contd. of page 8)

European waste catalogue

17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport informati	on
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordin IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 10)



Printing date 06.02.2023 Version number 2 Revision: 07.09.2021

Trade name Buntsteinputz / Mosaikputz (DIY)

REGULATION (EU) 2019/1148

(Contd. of page 9)

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301	Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Department issuing SDS: Product safety department.

Contact: Produktsicherheit@sg-weber.de; tel. +49(0)2363/399-210

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent



Printing date 06.02.2023 Version number 2 Revision: 07.09.2021

Trade name Buntsteinputz / Mosaikputz (DIY)

(Contd. of page 10)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.